

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. - 3. (Cancelled)

4. (Currently Amended) A method of ~~inhibiting photoaging~~ inhibiting angiogenesis in a subject in need thereof, comprising ~~the step of~~ applying onto the skin of said subject a composition comprising at least one active ingredient ~~effective for inhibiting photoaging, the at least one active ingredient effective for inhibiting photoaging being~~ selected from a group of crude drugs consisting of da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, roman chamomile (*Anthemis nobilis* Linne) extract coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and silk (*Bombyx mori* Linnaeus) extract.

5. (Cancelled).

6. (Currently Amended) The method of claim 4, wherein:
the at least one active ingredient for ~~inhibiting photoaging~~ inhibiting angiogenesis is da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, and
the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

7. (Cancelled)

8. (Currently Amended) The method of claim 4, wherein:
the at least one active ingredient for ~~inhibiting photoaging~~ inhibiting angiogenesis is roman chamomile (*Anthemis nobilis* Linne) extract, and
the roman chamomile (*Anthemis nobilis* Linne) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

9. (Previously Presented) The method of claim 4, wherein:
the composition further comprises chlorella (*Chlorella vulgaris* Chick) extract, and
the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

10. (Currently Amended) The method of claim 4, wherein:
the at least one active ingredient for ~~inhibiting photoaging~~ inhibiting angiogenesis is
coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, and
the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract is present in
the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the
composition.

11. (Currently Amended) The method of claim 4, wherein:
the at least one active ingredient for ~~inhibiting photoaging~~ inhibiting angiogenesis is
silk (*Bombyx mori* Linnaeus), and
the silk (*Bombyx mori* Linnaeus) is present in the amount of 0.0001 to 20.0 by mass %
as a dry substance based on a total weight of the composition.

12. (Currently Amended) A method of ~~inhibiting wrinkles caused by photoaging~~
inhibiting angiogenesis in a subject in need thereof, comprising ~~the step of~~ applying onto the
skin ~~[[f]]~~ of said subject a composition comprising at least one active ingredient ~~effective for~~
~~inhibiting wrinkles cause by photoaging~~, the at least one active ingredient ~~effective for~~
~~inhibiting wrinkles cause by photoaging~~ being selected from a group of crude drugs
consisting of da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, roman chamomile
(*Anthemis nobilis* Linne) extract, coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf)
extract, and silk (*Bombyx mori* Linnaeus) extract, wherein the method of inhibiting
angiogenesis inhibits wrinkles caused by photoaging of the skin of said subject.

13. (Currently Amended) The method of claim 12, wherein:
the at least one active ingredient for ~~inhibiting wrinkles cause by photoaging~~
inhibiting angiogenesis is da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, and
the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract is present in the
amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the
composition.

14. (Cancelled)

15. (Currently Amended) The method of claim 12, wherein:
the at least one active ingredient for ~~inhibiting wrinkles cause by photoaging~~
inhibiting angiogenesis is roman chamomile (*Anthemis nobilis* Linne) extract, and
the roman chamomile (*Anthemis nobilis* Linne) extract is present in the amount of
0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

16. (Previously Presented) The method of claim 12, wherein:
the composition further comprises chlorella (*Chlorella vulgaris* Chick) extract, and
the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to
20.0 by mass % as a dry substance based on a total weight of the composition.

17. (Currently Amended) The method of claim 12, wherein:
the at least one active ingredient for ~~inhibiting wrinkles cause by photoaging~~
inhibiting angiogenesis is coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract,
and
the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract is present in
the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the
composition.

18. (Currently Amended) The method of claim 12, wherein:
the at least one active ingredient for ~~inhibiting wrinkles cause by photoaging~~
inhibiting angiogenesis is silk (*Bombyx mori* Linnaeus), and
the silk (*Bombyx mori* Linnaeus) is present in the amount of 0.0001 to 20.0 by mass %
as a dry substance based on a total weight of the composition.

19. (Currently Amended) A method for inhibiting angiogenesis in a subject in need thereof, comprising the step of applying onto the skin ~~[[f]]~~ of said subject a composition, the composition comprising chlorella (*Chlorella vulgaris* Chick) extract.

20. (Previously Presented) The method of claim 19, wherein the composition further comprises da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract, the da zao (*Zizyphus jujuba* Miller var. *inermis* Rehder) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

21. (Previously Presented) The method of claim 19, wherein the composition further comprises silk (*Bombyx mori* Linnaeus) extract, the silk (*Bombyx mori* Linnaeus) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

22. (Previously Presented) The method of claim 19, wherein the composition further comprises ginseng (*Panax ginseng* C. A. Meyer) extract, the ginseng (*Panax ginseng* C. A. Meyer) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

23. (Previously Presented) The method of claim 19, wherein the composition further comprises roman chamomile (*Anthemis nobilis* Linne) extract, the roman chamomile (*Anthemis nobilis* Linne) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

24. (Previously Presented) The method of claim 19, wherein the composition further comprises coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract, the coicis semen (*Coix lacryma-jobi* Linne var. *ma-yuen* Stapf) extract being present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.

25. (Previously Presented) The method of claim 19, wherein the chlorella (*Chlorella vulgaris* Chick) extract is present in the amount of 0.0001 to 20.0 by mass % as a dry substance based on a total weight of the composition.